

**EFEKAT FOLIJARNE PRIMENE AGROSTEMIN[®]-a
NA BILJKU CRNOG LUKA
(I ogled – Fenološka opažanja)**



(Allium cepa)

NETRETIRANO

TRETIRANO



NETRETIRANO

TRETIRANO





NETRETIRANO

TRETIRANO

KONTROLA

TRETIRANO



KONTROLA



Potamnena boja korenova ukazuje da su samo još vršni delovi, oni beličaste boje, sposobni da se i dalje razvijaju

AGROSTEMIN®



Po celoj dužini bela boja, ukazuje da koren u celosti nije završio sa fazom rasta i da će nastaviti sa razvojem



KONTROLA

AGROSTEMIN®



KONTROLA

AGROSTEMIN®

KATEGORIZACIJA GLAVICA

Luk se klasifikuje prema veličini glavice u sledeće kategorije: Tip 01 – male, Tip 02 – srednje, Tip 03 – velike i Tip 04 – veoma velike glavice. Finansijski efekat proizvođača neposredno zavisi od zastupljenosti pojedinih kategorija u strukturi ukupnog prinosa, posebno kategorije Tip 03 koja je najcenjenija.



TIP 1
(male)

TIP 2
(srednje)


TIP 3
(velike)

TIP 4
(veoma velike)



KONTROLA

SA
AGROSTEMIN®-om



AGROSTEMIN[®]



Dr. Danilo Gajić

www.agrostemin.com