

# AGROSTEMIN<sup>®</sup>



*Dr. Danilo Gajić*



**EFEKAT FOLIJARNE PRIMENE AGROSTEMIN<sup>®</sup>-a  
NA ZASAD DINJE**

– fenološka opažanja –

( *Cucumis melo* )



Ogledi su izvedeni u gradovima Mossoró i Baraúnas – RN Brazil.

**AGROSTEMIN**<sup>®</sup> je primenjen putem sistema za zalivanje (eng: "fertigation") između 5. i 7. dana nakon rasađivanja, u količini 30g po hektaru.

# FENOLOŠKA OPAŽANJA

*(fotografije)*

## PRVI OGLED

**Sorta:** GALIA

**Hibrid:** ESTORIL

**Tretirano** AGROSTEMIN® – **om:** *5 dana nakon rastađivanja*

**STAROST biljaka:** 21 dana od rastađivanja i 16 dana nakon tretiranja.



**KONTROLA**

**TRETIRANO**



**bez**  
**AGROSTEMIN®-a**

**sa**  
**AGROSTEMIN®-om**

## DRUGI OGLED

**Sorta:** AMARELO

**Hibrid:** GOLD EX

**Tretirano** **AGROSTEMIN<sup>®</sup>**–om: *7 dana nakon rastađivanja*

**STAROST biljaka:** *23 dana od rastađivanja i 16 dana nakon tretiranja*



**bez AGROSTEMIN®-a**

**sa AGROSTEMIN®-om**



**KONTROLA**

**TRETIRANO**



**KONTROLA**

**TRETIRANO**

## TREĆI OGLED

**Sorta:** GALIA

**Varijetet:** DENNY

**Tretirano** **AGROSTEMIN**<sup>®</sup> – **om:** *5 dana nakon rastađivanja*

**STAROST biljaka:** *22 dana od rastađivanja i 15 dana nakon tretiranja*





NETRETIRANO

TRETIRANO

## ČETVRTI OGLED

**Sorta:** GALIA

**Varijetet:** 8530

**Tretirano AGROSTEMIN<sup>®</sup>-om:** *5 dana nakon rastađivanja*

**STAROST biljaka:** *20 dana od rastađivanja i 15 dana nakon tretiranja*



bez  
AGROSTEMIN®-a

sa  
AGROSTEMIN®-om







**AGROSTEMIN**<sup>®</sup>



*Dr. Danilo Gajić*

**[www.agrostemin.com](http://www.agrostemin.com)**